


WHAT IS CLAIMED IS:

1. A compound of Formula I:



- 5 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- a is 0 or 1;
 b is 0 or 1;
 m is 0, 1, or 2;
 10 n is 0 or 1;
 r is 0 or 1;
 s is 0 or 1;
 u is 2, 3, 4 or 5;
- 15 a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
 20 2) (C₁-C₆-alkylene)_n(C=X)aryl,
 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,
 25 7) (C₁-C₆-alkylene)_n(C=X)NR^cR^{c'},
 8) (C₁-C₆-alkylene)_nSO₂NR^cR^{c'},
 9) (C₁-C₆-alkylene)_nSO₂C₁-C₁₀ alkyl,

- 10) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkenyl,
- 11) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkynyl,
- 12) (C₁-C₆-alkylene)_nSO₂-aryl,
- 13) (C₁-C₆-alkylene)_nSO₂-heterocyclyl,
- 5 14) (C₁-C₆-alkylene)_nSO₂-C₃-C₈ cycloalkyl,
- 15) (C₁-C₆-alkylene)_nP(=O)R^dR^{d'},
- 16) aryl;
- 17) heterocyclyl; and
- 18) C₁-C₁₀ alkyl;

10 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 15 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

20

R³, R⁴, R⁵, R⁷, R⁸, and R⁹ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 25 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 7) C₁-C₆ perfluoroalkyl,
- 8) C₁-C₆ aralkyl,
- 9) C₃-C₈ cycloalkyl, and
- 30 10) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; or

R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form

$-(CH_2)_u-$ wherein one of the carbon atoms is optionally replaced by a moiety selected from O, $S(O)_m$, $-N(R^a)C(O)-$, $-N(R^b)-$ and $-N(COR^a)-$;

R^{10} is independently selected from:

- 5 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 3) C_2-C_{10} alkenyl,
- 4) C_2-C_{10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 10 6) CO_2H ,
- 7) halo,
- 8) CN ,
- 9) OH ,
- 10) $O_bC_1-C_6$ perfluoroalkyl,
- 15 11) $O_a(C=O)_bNR^{12}R^{13}$,
- 12) $S(O)_mR^a$,
- 13) $S(O)_2NR^{12}R^{13}$,
- 14) oxo,
- 15) CHO ,
- 20 16) $(N=O)R^{12}R^{13}$, or
- 17) $(C=O)_aO_bC_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^{11} ;

25 R^{11} is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl,
- 3) (C_0-C_6) alkylene- $S(O)_mR^a$,
- 4) oxo,
- 30 5) OH ,
- 6) halo,
- 7) CN ,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,

- 10) $(C=O)_rO_s(C_3-C_6)cycloalkyl$,
- 11) $(C=O)_rO_s(C_0-C_6)alkylene-aryl$,
- 12) $(C=O)_rO_s(C_0-C_6)alkylene-heterocyclyl$,
- 13) $(C=O)_rO_s(C_0-C_6)alkylene-N(R^b)_2$,
- 5 14) $C(O)R^a$,
- 15) $(C_0-C_6)alkylene-CO_2R^a$,
- 16) $C(O)H$,
- 17) $(C_0-C_6)alkylene-CO_2H$,
- 18) $C(O)N(R^b)_2$,
- 10 19) $S(O)_mR^a$, and
- 20) $S(O)_2N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(C_1-C_6)alkoxy$, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

15

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) $(C=O)O_bC_3-C_8$ cycloalkyl,
- 20 4) $(C=O)O_baryl$,
- 5) $(C=O)O_bheterocyclyl$,
- 6) C_1-C_{10} alkyl,
- 7) aryl,
- 8) C_2-C_{10} alkenyl,
- 25 9) C_2-C_{10} alkynyl,
- 10) heterocyclyl,
- 11) C_3-C_8 cycloalkyl,
- 12) SO_2R^a , and
- 13) $(C=O)NR^b_2$,

30 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^{11} , or

R^{12} and R^{13} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and

optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

5 R¹⁴ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 10 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 15 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 20 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

25

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl, optionally substituted with one to three substituents selected from R¹⁴;

30 R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a, optionally substituted with one to three substituents selected from R¹⁴;

R^c and $R^{c'}$ are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl, optionally substituted with one, two or three substituents selected from R^{10} , or

- 5 R^c and $R^{c'}$ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ;


- 10 R^d and $R^{d'}$ are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^{b2} , or

- 15 R^d and $R^{d'}$ can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e , O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ;

- 20 R^e is selected from: H and (C₁-C₆)alkyl; and

X is selected from O, NR^e and S.

2. The compound according to Claim 1 of the Formula I:



- 25 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1;

- b is 0 or 1;
 m is 0, 1, or 2;
 n is 0 or 1;
 r is 0 or 1;
 5 s is 0 or 1;
 u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

10

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
 - 2) (C₁-C₆-alkylene)_n(C=X)aryl,
 - 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
 - 15 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
 - 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
 - 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,
 - 7) (C₁-C₆-alkylene)_n(C=X)NR^cR^{c'},
 - 8) (C₁-C₆-alkylene)_nSO₂NR^cR^{c'},
 - 20 9) (C₁-C₆-alkylene)_nSO₂C₁-C₁₀ alkyl,
 - 10) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkenyl,
 - 11) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkynyl,
 - 12) (C₁-C₆-alkylene)_nSO₂-aryl,
 - 13) (C₁-C₆-alkylene)_nSO₂-heterocyclyl,
 - 25 14) (C₁-C₆-alkylene)_nSO₂-C₃-C₈ cycloalkyl,
 - 15) (C₁-C₆-alkylene)_nP(=O)R^dR^{d'},
 - 16) aryl;
 - 17) heterocyclyl; and
 - 18) C₁-C₁₀ alkyl;
- 30 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 35 2) C₁-C₆ aralkyl,

3) C₃-C₈ cycloalkyl, and

4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

5

R³, R⁴, R⁵, R⁷, R⁸, and R⁹ are independently selected from:

1) H,

2) C₁-C₁₀ alkyl,

3) aryl,

10 4) C₂-C₁₀ alkenyl,

5) C₂-C₁₀ alkynyl,

6) C₁-C₆ perfluoroalkyl,

7) C₁-C₆ aralkyl,

8) C₃-C₈ cycloalkyl, and

15 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; or

20 R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form -(CH₂)_u- wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)_m, -N(R^a)C(O)-, -N(R^b)- and -N(COR^a)-;

R¹⁰ is independently selected from:

1) (C=O)_aO_bC₁-C₁₀ alkyl,

25 2) (C=O)_aO_baryl,

3) C₂-C₁₀ alkenyl,

4) C₂-C₁₀ alkynyl,

5) (C=O)_aO_b heterocyclyl,

6) CO₂H,

30 7) halo,

8) CN,

9) OH,

10) O_bC₁-C₆ perfluoroalkyl,

11) O_a(C=O)_bNR¹²R¹³,

- 12) $S(O)_m R^a$,
 13) $S(O)_2 N R^{12} R^{13}$,
 14) oxo,
 15) CHO,
 5 16) $(N=O) R^{12} R^{13}$, or
 17) $(C=O)_a O_b C_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^{11} ;

10 R^{11} is selected from:

- 1) $(C=O)_r O_s (C_1-C_{10})$ alkyl,
 2) $O_r (C_1-C_3)$ perfluoroalkyl,
 3) (C_0-C_6) alkylene- $S(O)_m R^a$,
 4) oxo,
 15 5) OH,
 6) halo,
 7) CN,
 8) $(C=O)_r O_s (C_2-C_{10})$ alkenyl,
 9) $(C=O)_r O_s (C_2-C_{10})$ alkynyl,
 20 10) $(C=O)_r O_s (C_3-C_6)$ cycloalkyl,
 11) $(C=O)_r O_s (C_0-C_6)$ alkylene-aryl,
 12) $(C=O)_r O_s (C_0-C_6)$ alkylene-heterocyclyl,
 13) $(C=O)_r O_s (C_0-C_6)$ alkylene- $N(R^b)_2$,
 14) $C(O) R^a$,
 25 15) (C_0-C_6) alkylene- $CO_2 R^a$,
 16) $C(O) H$,
 17) (C_0-C_6) alkylene- $CO_2 H$,
 18) $C(O) N(R^b)_2$,
 19) $S(O)_m R^a$, and
 30 20) $S(O)_2 N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, $CO_2 H$, CN, $O(C=O) C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R¹² and R¹³ are independently selected from:

- 1) H,
 - 2) (C=O)O_bC₁-C₁₀ alkyl,
 - 3) (C=O)O_bC₃-C₈ cycloalkyl,
 - 5 4) (C=O)O_baryl,
 - 5) (C=O)O_bheterocyclyl,
 - 6) C₁-C₁₀ alkyl,
 - 7) aryl,
 - 8) C₂-C₁₀ alkenyl,
 - 10 9) C₂-C₁₀ alkynyl,
 - 10) heterocyclyl,
 - 11) C₃-C₈ cycloalkyl,
 - 12) SO₂R^a, and
 - 13) (C=O)NR^b₂,
- 15 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and
 20 optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

25 R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and
 30 (C₃-C₆)cycloalkyl, optionally substituted with one, two or three substituents selected from R¹⁰, or

R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally

containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

- 5 R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or


- R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing,
 10 in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^e is selected from: H and (C₁-C₆)alkyl; and

15

X is selected from O, NR^e and S.

3. The compound according to Claim 2 of Formula I:



- 20 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- a is 0 or 1;
 b is 0 or 1;
 m is 0, 1, or 2;
 25 n is 0 or 1;
 r is 0 or 1;
 s is 0 or 1;

u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

5

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
- 2) (C₁-C₆-alkylene)_n(C=X)aryl,
- 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
- 10 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
- 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
- 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,
- 7) (C₁-C₆-alkylene)_n(C=X)NR^cR^{c'},
- 8) (C₁-C₆-alkylene)_nSO₂NR^cR^{c'},
- 15 9) (C₁-C₆-alkylene)_nSO₂C₁-C₁₀ alkyl,
- 10) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkenyl,
- 11) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkynyl,
- 12) (C₁-C₆-alkylene)_nSO₂-aryl,
- 13) (C₁-C₆-alkylene)_nSO₂-heterocyclyl,
- 20 14) (C₁-C₆-alkylene)_nSO₂-C₃-C₈ cycloalkyl,
- 15) (C₁-C₆-alkylene)_nP(=O)R^dR^{d'},
- 16) aryl;
- 17) heterocyclyl; and
- 18) C₁-C₁₀ alkyl;

25 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 30 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

35

R³, R⁴, R⁵, R⁷, R⁸, and R⁹ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 5 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 6) C₁-C₆ perfluoroalkyl,
- 7) C₁-C₆ aralkyl,
- 8) C₃-C₈ cycloalkyl, and
- 10 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; or

15 R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form -(CH₂)_u- wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)_m, -N(R^a)C(O)-, -N(R^b)- and -N(COR^a)-;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 20 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 25 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 30 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

R¹¹ is selected from:

- 5 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 10 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 15 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 14) C(O)R^a,
- 15) (C₀-C₆)alkylene-CO₂R^a,
- 20 16) C(O)H,
- 17) (C₀-C₆)alkylene-CO₂H,
- 18) C(O)N(R^b)₂,
- 19) S(O)_mR^a, and
- 20) S(O)₂N(R^b)₂,

- 25 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R¹² and R¹³ are independently selected from:

- 30 1) H,
- 2) (C=O)O_bC₁-C₁₀ alkyl,
- 3) (C=O)O_bC₃-C₈ cycloalkyl,
- 4) (C=O)O_baryl,
- 5) (C=O)O_bheterocyclyl,

- 5
- 6) C₁-C₁₀ alkyl,
 - 7) aryl,
 - 8) C₂-C₁₀ alkenyl,
 - 9) C₂-C₁₀ alkynyl,
 - 10) heterocyclyl,
 - 11) C₃-C₈ cycloalkyl,
 - 12) SO₂R^a, and
 - 13) (C=O)NR^b₂,

10 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R¹¹, or

15 R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

20 R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

25 R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

30


R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and $R^{d'}$ can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e , O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ;

R^e is selected from: H and (C_1-C_6) alkyl; and

X is selected from O, NR^e and S.

4. The compound according to Claim 2 of the Formula II,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1, or 2;

r is 0 or 1;

s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R^1 is selected from:

- 1) $(C_1-C_6\text{-alkylene})_n(C=O)C_1-C_{10}$ alkyl,
- 2) $(C_1-C_6\text{-alkylene})_n(C=O)$ aryl,
- 3) $(C_1-C_6\text{-alkylene})_n(C=O)C_2-C_{10}$ alkenyl,

- 4) (C₁-C₆-alkylene)_n(C=O)C₂-C₁₀ alkynyl,
 5) (C₁-C₆-alkylene)_n(C=O)C₃-C₈ cycloalkyl,
 6) (C₁-C₆-alkylene)_n(C=O)heterocyclyl,
 7) (C₁-C₆-alkylene)_n(C=O)NR^cR^{c'},
 5 8) (C₁-C₆-alkylene)_nSO₂NR^cR^{c'},
 9) (C₁-C₆-alkylene)_nSO₂C₁-C₁₀ alkyl,
 10) (C₁-C₆-alkylene)_nSO₂-aryl,
 11) (C₁-C₆-alkylene)_nSO₂-heterocyclyl,
 12) (C₁-C₆-alkylene)_nSO₂-C₃-C₈ cycloalkyl,
 10 13) (C₁-C₆-alkylene)_nP(=O)R^dR^{d'},
 14) aryl,
 15) heterocyclyl, and
 16) C₁-C₁₀ alkyl;

15 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
 2) C₁-C₆ aralkyl,
 20 3) C₃-C₈ cycloalkyl, and
 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

25 R³, R⁴ and R⁸ are independently selected from:

- 1) H,
 2) C₁-C₁₀ alkyl,
 3) aryl,
 4) C₂-C₁₀ alkenyl,
 30 5) C₂-C₁₀ alkynyl,
 6) C₁-C₆ perfluoroalkyl,
 7) C₁-C₆ aralkyl,
 8) C₃-C₈ cycloalkyl, and
 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 5 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 10 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 15 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 20 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R¹¹;

25 R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 30 5) halo,
- 6) CN,
- 7) (C₂-C₁₀)alkenyl,
- 8) (C₂-C₁₀)alkynyl,
- 9) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 35 10) (C=O)_rO_s(C₀-C₆)alkylene-aryl,

- 11) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
 12) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$,
 13) C(O)R^a ,
 14) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
 5 15) C(O)H ,
 16) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
 17) $\text{C(O)N(R}^b)_2$,
 18) $\text{S(O)}_m\text{R}^a$, and
 19) $\text{S(O)}_2\text{N(R}^b)_2$;

10

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H , CN, $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6$ alkyl, oxo, and $\text{N(R}^b)_2$;

15 R^{12} and R^{13} are independently selected from:

- 1) H,
 2) $(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
 3) $(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
 4) $(\text{C}=\text{O})\text{O}_b\text{aryl}$,
 20 5) $(\text{C}=\text{O})\text{O}_b\text{heterocyclyl}$,
 6) $\text{C}_1\text{-C}_{10}$ alkyl,
 7) aryl,
 8) $\text{C}_2\text{-C}_{10}$ alkenyl,
 9) $\text{C}_2\text{-C}_{10}$ alkynyl,
 25 10) heterocyclyl,
 11) $\text{C}_3\text{-C}_8$ cycloalkyl,
 12) SO_2R^a , and
 13) $(\text{C}=\text{O})\text{NR}^b_2$,

30 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R^{11} , or

R^{12} and R^{13} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms

selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

5

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

10 R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl; or R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;


15

R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

20 R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NRe, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹; and

25 R^e is selected from: H and (C₁-C₆)alkyl.

5. A compound of the Formula III,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- a is 0 or 1;
 b is 0 or 1;
 m is 0, 1, or 2;
 5 r is 0 or 1;
 s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

10

R¹ is selected from:

- 1) (C=O)C₁-C₁₀ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C₂-C₁₀ alkenyl,
- 15 4) (C=O)C₂-C₁₀ alkynyl,
- 5) (C=O)C₃-C₈ cycloalkyl,
- 6) (C=O)heterocyclyl,
- 7) (C=O)NR^cR^{c'},
- 8) SO₂NR^cR^{c'},
- 20 9) SO₂C₁-C₁₀ alkyl,
- 10) SO₂-aryl,
- 11) SO₂-heterocyclyl,
- 12) SO₂-C₃-C₈ cycloalkyl, and
- 13) P(=O)R^dR^{d'},

- 25 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² is selected from:

- 1) aryl,
- 30 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

- 35 R³, R⁴ and R⁸ are independently selected from:

- 1) H,
 - 2) C₁-C₁₀ alkyl,
 - 3) aryl,
 - 4) C₂-C₁₀ alkenyl,
 - 5) C₂-C₁₀ alkynyl,
 - 6) C₁-C₆ perfluoroalkyl,
 - 7) C₁-C₆ aralkyl,
 - 8) C₃-C₈ cycloalkyl, and
 - 9) heterocyclyl,
- 10 said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 15 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 20 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 25 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 30 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R¹¹;

R^{10'} is halogen;

35

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) oxo,
- 5 4) OH,
- 5) halo,
- 6) CN,
- 7) (C₂-C₁₀)alkenyl,
- 8) (C₂-C₁₀)alkynyl,
- 10 9) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 10) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 13) C(O)R^a,
- 15 14) (C₀-C₆)alkylene-CO₂R^a,
- 15) C(O)H,
- 16) (C₀-C₆)alkylene-CO₂H, and
- 17) C(O)N(R^b)₂,
- 18) S(O)_mR^a, and
- 20 19) S(O)₂N(R^b)₂;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

25

R¹² and R¹³ are independently selected from:

- 1) H,
- 2) (C=O)O_bC₁-C₁₀ alkyl,
- 3) (C=O)O_bC₃-C₈ cycloalkyl,
- 30 4) (C=O)O_baryl,
- 5) (C=O)O_bheterocyclyl,
- 6) C₁-C₁₀ alkyl,
- 7) aryl,
- 8) C₂-C₁₀ alkenyl,

- 9) C₂-C₁₀ alkynyl,
 10) heterocyclyl,
 11) C₃-C₈ cycloalkyl,
 12) SO₂R^a, and
 5 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R¹¹, or

- 10 R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

- 15 R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

- 20 R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl; or

- 25 R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

- 30 R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or


R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e,

O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ; and

R^e is selected from: H and (C_1-C_6) alkyl.

5

6. The compound according to Claim 4 of the Formula IV,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- 10 a is 0 or 1;
 b is 0 or 1;
 m is 0, 1, or 2;
 r is 0 or 1;
 s is 0 or 1;

15

R^1 is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) $(C=O)$ aryl,
- 3) $(C=O)C_3-C_8$ cycloalkyl,
- 20 4) $(C=O)$ heterocyclyl,
- 5) $(C=O)NR^cR^c'$,
- 6) $(C=S)NR^cR^c'$,
- 7) $SO_2NR^cR^c'$,
- 8) $SO_2C_1-C_{10}$ alkyl,
- 25 9) SO_2 -aryl, and
- 10) SO_2 -heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ;

R² is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 5 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 10 1) H,
- 2) C₁-C₁₀ alkyl, and
- 3) C₁-C₆ perfluoroalkyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

15

R⁶ is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 20 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 25 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 30 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,

- 11) $O_a(C=O)_bNR^{12}R^{13}$,
 12) $S(O)_mR^a$,
 13) $S(O)_2NR^{12}R^{13}$,
 14) oxo,
 5 15) CHO,
 16) $(N=O)R^{12}R^{13}$, or
 17) $(C=O)_aO_bC_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^{11} ;

10

R^{11} is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
 2) $O_r(C_1-C_3)$ perfluoroalkyl,
 3) oxo,
 15 4) OH,
 5) halo,
 6) CN,
 7) (C_2-C_{10}) alkenyl,
 8) (C_2-C_{10}) alkynyl,
 20 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
 13) $C(O)R^a$,
 25 14) (C_0-C_6) alkylene- CO_2R^a ,
 15) $C(O)H$,
 16) (C_0-C_6) alkylene- CO_2H ,
 17) $C(O)N(R^b)_2$,
 18) $S(O)_mR^a$, and
 30 19) $S(O)_2N(R^b)_2$;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R¹² and R¹³ are independently selected from:

- 1) H,
- 2) (C=O)O^bC₁-C₁₀ alkyl,
- 5 3) (C=O)O^bC₃-C₈ cycloalkyl,
- 4) (C=O)O^baryl,
- 5) (C=O)O^bheterocyclyl,
- 6) C₁-C₁₀ alkyl,
- 7) aryl,
- 10 8) C₂-C₁₀ alkenyl,
- 9) C₂-C₁₀ alkynyl,
- 10) heterocyclyl,
- 11) C₃-C₈ cycloalkyl,
- 12) SO₂R^a, and
- 15 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R¹¹, or

20 R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

25 R^a is independently selected from: (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, and heterocyclyl;

R^b is independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a; and

30 R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

R^C and $R^{C'}$ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} .

7. The compound according to Claim 6 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

10 R^1 is selected from:

- 1) $(C=O)NR^C R^{C'}$,
- 2) $SO_2NR^C R^{C'}$, and
- 3) $SO_2C_1-C_{10}$ alkyl,

said alkyl, is optionally substituted with one, two or three substituents selected from R^{10} ;

R^2 is selected from:

- 1) aryl, and
- 2) heteroaryl,

20 said aryl and heteroaryl is optionally substituted with one or more substituents selected from R^{10} ;

R^3 , R^4 and R^8 are independently selected from:

- 1) H, and
- 25 2) C_1-C_{10} alkyl,

said alkyl is optionally substituted with one or more substituents selected from R^{10} ;

R^6 is selected from:

- 1) aryl, and
- 30 2) heterocyclyl,

said alkyl, aryl and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ; and

R^{10} , R^{11} , R^{12} , R^{13} , R^a , R^b , R^c and $R^{c'}$ are as described immediately above.


8. The compound according to Claim 7 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

- 5 R² and R⁶ are independently selected from phenyl or pyridyl, optionally substituted with one or two substituents selected from R¹⁰; and
R¹, R³, R⁴ and R⁸ are as described in Claim 7.

9. The compound according to Claim 7, or the pharmaceutically acceptable salt or stereoisomer thereof, wherein R² is phenyl, optionally substituted with one or two substituents selected from R¹⁰; and

R¹, R³, R⁴, R⁶ and R⁸ are as described in Claim 7.

10. The compound according to Claim 5 of the Formula V,



wherein:

- a is 0 or 1;
20 b is 0 or 1;
m is 0, 1, or 2;
r is 0 or 1;
s is 0 or 1;

- 25 R¹ is selected from:

- 1) (C=O)C₁-C₁₀ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C₃-C₈ cycloalkyl,
- 4) (C=O)heterocyclyl,

- 5) $(C=O)NR^cR^{c'}$,
- 6) $(C=S)NR^cR^{c'}$,
- 7) $SO_2NR^cR^{c'}$,
- 8) $SO_2C_1-C_{10}$ alkyl,
- 5 9) SO_2 -aryl, and
- 10) SO_2 -heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ;

10 R^2 is selected from:

- 1) aryl,
- 2) C_1-C_6 aralkyl,
- 3) C_3-C_8 cycloalkyl, and
- 4) heterocyclyl,

15 said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ;

R^3 , R^4 and R^8 are independently selected from:

- 1) H,
- 20 2) C_1-C_{10} alkyl, and
- 3) C_1-C_6 perfluoroalkyl,

said alkyl is optionally substituted with one or more substituents selected from R^{10} ;

R^{10} is independently selected from:

- 25 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) $(C=O)_aO_b$ aryl,
- 3) C_2-C_{10} alkenyl,
- 4) C_2-C_{10} alkynyl,
- 5) $(C=O)_aO_b$ heterocyclyl,
- 30 6) CO_2H ,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) $O_bC_1-C_6$ perfluoroalkyl,

- 11) $O_a(C=O)_bNR^{12}R^{13}$,
 12) $S(O)_mR^a$,
 13) $S(O)_2NR^{12}R^{13}$,
 14) oxo,
 5 15) CHO,
 16) $(N=O)R^{12}R^{13}$, or
 17) $(C=O)_aO_bC_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^{11} ;

10 $R^{10'}$ is halogen;

R^{11} is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
 2) $O_r(C_1-C_3)$ perfluoroalkyl,
 15 3) oxo,
 4) OH,
 5) halo,
 6) CN,
 7) (C_2-C_{10}) alkenyl,
 20 8) (C_2-C_{10}) alkynyl,
 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
 25 13) $C(O)R^a$,
 14) (C_0-C_6) alkylene- CO_2R^a ,
 15) $C(O)H$,
 16) (C_0-C_6) alkylene- CO_2H ,
 17) $C(O)N(R^b)_2$,
 30 18) $S(O)_mR^a$, and
 19) $S(O)_2N(R^b)_2$;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R¹² and R¹³ are independently selected from:

- 1) H,
- 2) (C=O)O_bC₁-C₁₀ alkyl,
- 5 3) (C=O)O_bC₃-C₈ cycloalkyl,
- 4) (C=O)O_baryl,
- 5) (C=O)O_bheterocyclyl,
- 6) C₁-C₁₀ alkyl,
- 7) aryl,
- 10 8) C₂-C₁₀ alkenyl,
- 9) C₂-C₁₀ alkynyl,
- 10) heterocyclyl,
- 11) C₃-C₈ cycloalkyl,
- 12) SO₂R^a, and
- 15 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R¹¹, or

20 R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

25 R^a is independently selected from: (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, and heterocyclyl;

R^b is independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a; and

30 R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

RC and RC' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with
5 one, two or three substituents selected from R¹¹.

11. A compound selected from:

- 10 4-(2-chloro-5-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (+)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 (-)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2-fluoro-5-methylphenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 4-(5-bromo-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-[[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]morpholine;
- 30 4-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]morpholine;
- N,N-dimethyl-2,4-diphenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 3-[2-fluoro-5-(trifluoromethyl)phenyl]-N,N-dimethyl-5-phenyl-2,3-dihydro-1H-pyrrole-1-carboxamide;
- 5 2-(3-fluorophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(4-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 10 4-(2,5-difluorophenyl)-2-(2-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-(3-bromophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 2-(3-aminophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(2,5-difluorophenyl)-2-(3-methylphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-1-(ethylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 30 4-(2,5-difluorophenyl)-2-phenyl-1-(propylsulfonyl)-2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(5-chloro-2-fluorophenyl)-1-(methylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 35

- 4-(5-chloro-2-fluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(2-fluoro-5-methylphenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 5 2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}ethanamine;
- 2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}-N,N-dimethylethanamine;
- 10 1-acetyl-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(2-chloro-5-fluorophenyl)-1-pivaloyl-2-phenyl-2,5-dihydro-1H-pyrrole;
- 15 4-(2-chloro-5-fluorophenyl)-1-isobutyryl-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-1-(2,2-dimethylpropanoyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-
- 20 oxopropan-2-ol;
- 1-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;
- 25 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
- 4-(2-fluoro-5-isocyanophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 30 4-(2,5-difluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;
- 4-(5-chloro-2-fluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;

(1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

5 (1R)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-L-prolyl-2,5-dihydro-1H-pyrrole;

10 4-(2,5-difluorophenyl)-2-phenyl-1-D-prolyl-2,5-dihydro-1H-pyrrole;

(4R)-4-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,3-thiazolidine;

15 methyl (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanoate;

(4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide;

20 (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylthio)propylamine;

25 (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylsulfonyl)propylamine;

(2S)-2-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidine;

30 (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(thien-2-ylmethyl)ethylamine;

- 4-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-1,1-dioxidotetrahydro-2H-thiopyran-4-ylamine;
- 5 (2S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-N-methyl-1-oxopropan-2-amine;
- (1S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}propylamine;
- 10 (1S)-2-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-2-oxo-1-phenylethanamine;
- (1S)-2-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-2-oxo-1-phenylethanamine;
- 15 (4S)-4-amino-5-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-5-oxopentanamide
3-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-3-oxopropan-1-amine;
- 20 (1S,2S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-2-methylbutylamine;
- (1S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}butylamine;
- 25 (1S)-1-cyclopropyl-2-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-2-oxoethanamine;
- 30 1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}cyclopropanamine;
- 1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}-1-oxopropan-2-amine;
- 35

- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-methyl-2-oxoethylamine;
- 5 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-2-ylmethyl)ethylamine;
- (1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 10 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(4-iodobenzyl)-2-oxoethylamine;
- (1S)-1-benzyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;
- 15 4-{(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl}phenol;
- (3S)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,2,3,4-tetrahydroisoquinoline;
- 20 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-phenylpropylamine;
- (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-methylbutylamine;
- 25 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-3-ylmethyl)ethylamine;
- 30 1-[(2S)-azetidin-2-ylcarbonyl]-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanamide;
- 35

4-(2,5-difluorophenyl)-1-[(2S)-2,5-dihydro-1H-pyrrol-2-ylcarbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

5 4-(2,5-difluorophenyl)-1-[(2-methylazetidin-2-yl)carbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;
methyl (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanoate;

10

4-(2,5-difluorophenyl)-2-phenyl-1-[(2S,3S)-2-phenylpyrrolidin-3-yl]carbonyl)-2,5-dihydro-1H-pyrrole;

15 4-(2,5-difluorophenyl)-2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5-dihydro-1H-pyrrole;

(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-ol;

20 (2R,3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutan-2-ol;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(methoxymethyl)-2-oxoethylamine;

25

4-(2,5-difluorophenyl)-2-phenyl-1-(pyrrolidin-3-ylcarbonyl)-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;

30

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-difluoropropylamine;

- (1S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;
- 4-(2,5-difluorophenyl)-2-phenyl-1-[(4S)-4-phenyl-L-prolyl]-2,5-dihydro-1H-pyrrole;
- 5 1-{2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}cyclohexanamine;
- 2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 10 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidin-4-amine;
- (1S,3R)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;
- 15 (1R,4S)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;
- (1S,4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;
- 20 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-ynylamine;
- (1R)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;
- 25 3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-phenylpiperidine;
- 30 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;
- (2S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-(methylamino)-3-oxopropan-1-ol;
- 35

(3R,5S)-5-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pyrrolidin-3-ol;

- 5 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(1,3-thiazol-4-ylmethyl)ethylamine;

(1R)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

- 10 (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxobutan-2-amine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;

- 15 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-oxoethylamine;

4-(2,5-difluorophenyl)-1-(N~6~-formyl-L-lysyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

- 20 (2S,3S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxopentan-2-amine;

(1S)-1-(cyclohexylmethyl)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

- 25 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(1H-indol-3-ylmethyl)-2-oxoethylamine;

- 30 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(isocyanomethyl)-2-oxoethylamine;

(1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;

35

- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;
- 5 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine};
- 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine};
- 10 (1S)-3-(benzyloxy)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine};
- 1-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;
- 15 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-3-en-1-amine};
- (1S)-1-cyclopentyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 20 4-(2,5-difluorophenyl)-1-(2-methylproyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 1-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
- 25 (1S)-1-{{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine};
- (1S)-2-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;
- 30 (1S,2S)-1-{{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine};
- 35

(1S)-1-{{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

5 (1S)-1-{{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-
3,3-dimethylbutylamine;

(1S)-1-{{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-
2,2-dimethylpropylamine;

10 (1S)-1-{{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-
2-methylpropylamine;

(1S)-1-cyclohexyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]-2-oxoethanamine;

15 (1S)-1-{{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]carbonyl}but-3-enylamine;

(1S)-1-{{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]carbonyl}but-3-ynylamine;

20 (1S)-1-benzyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-
2-oxoethylamine;

25 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]-2-oxoethanamine;

1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-
oxopropan-2-amine;

30 (1S)-1-{{[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]carbonyl}-2,2-dimethylpropylamine;

(1S)-1-{{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]carbonyl}pentylamine;

35

- (1S)-1-[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3-methylbutylamine;
- 5 (1S)-1-[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3,3-dimethylbutylamine;
- 1-cyclopropyl-3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;
- 10 (1S)-2-[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;
- (1S)-1-[[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2-methylpropylamine;
- 15 (1S,2S)-1-[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2-methylbutylamine;
- 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;
- 20 (2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;
- 25 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;
- 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;
- (2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;
- 30 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

- 3-[1-[(2S)-2-amino-2-cyclopropylethanoyl]-4-(5-chloro-2-fluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 5 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-isoleucyl-2,5-dihydro-1H-pyrrole;
- 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-norleucyl-2,5-dihydro-1H-pyrrole;
- 10 (2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(3-methyl-L-valyl)-2,5-dihydro-1H-pyrrole;
- (2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 (2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-
- 20 dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 30 (2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3S)-1-methylpyrrolidin-3-yl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3R)-1-methylpyrrolidin-3-yl]-2-phenyl-
- 35 2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 5 (2S)-4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 10 (2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

allyl 4-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]piperidine-1-carboxylate;

- 15 allyl 4-[[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]methyl]piperidine-1-carboxylate;

- 20 (2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 25 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

N-benzyl-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 30 4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 35 4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 5 4-(2,5-difluorophenyl)-N-isobutyl-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 10 4-(2,5-difluorophenyl)-N-(2-methoxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-(2,3-dihydroxypropyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-phenylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-phenyl-N-propyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 1-Acetyl-4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole;
- (2S)-1-[4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-amine;
- 30 (2S)-4-(2,5-difluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

5 (2S)-4-(5-chloro-2-fluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-ethyl-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

10 (2S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3,3-dimethyl-1-oxobutan-2-ol;

(2S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-ol;

15 (2S,3S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxopentan-2-ol;

20 1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxohexan-2-ol;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxo-3-phenylpropan-2-ol;

25 (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-methyl-1-oxopentan-2-ol;

(1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol;

30 (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3,3-dimethyl-1-oxobutan-2-ol;

35 N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-methylglycinamide;

5 N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}glycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

10

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}glycinamide;

15 N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide, N-oxide;

20 N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide n-oxide;

25 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylacetamide;

2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

30

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylacetamide;

35 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)acetamide;

- 5 2-azetidin-1-yl-N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylacetamide;

10

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperidin-1-ylacetamide;

- 15 N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylacetamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-(2-hydroxyethyl)glycinamide;

- 20 N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)acetamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-isopropylglycinamide;

- 25 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-ethylglycinamide;

30

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-hydroxyacetamide;

- 35 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperazine-1-carboxamide;

- N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-piperidin-4-ylurea;
- 5 4-amino-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperidine-1-carboxamide;
- N-(2-aminoethyl)-N'-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}urea;
- 10 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-(3-morpholin-4-ylpropyl)urea;
- N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-[2-(dimethylamino)ethyl]urea;
- 15 2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}ethanesulfonamide
- 20 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(isopropylamino)ethanesulfonamide;
- N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylethanesulfonamide;
- 25 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylethanesulfonamide;
- N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylethanesulfonamide;
- 30 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)ethanesulfonamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

5 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide;

(2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

10 (2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-([(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl)morpholine;

15 1-([(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl)piperazine;

1-([(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl)-4-methylpiperazine;

20 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylbutanamide;

25 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide;

30 N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide;

35

- N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide;
- 10 N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
- 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
- 15 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethyl-2,2-dimethyl-4-oxobutanamide;
- (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxo-N-piperidin-4-ylbutanamide;
- 20 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;
- (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;
- 25 (1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine;
- 30 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropyl-2,2-dimethyl-4-oxobutanamide;
- (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,2,2-trimethyl-4-oxobutanamide;
- 35

(3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;

5 (3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;

(1R)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine;

10 2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-ethylacetamide;

2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-methylacetamide;

15 2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N,N-dimethylacetamide;

2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-methyl-N-ethylacetamide;

20 2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-methylacetamide;

25 2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-ethylacetamide;

2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N,N-dimethylacetamide;

30 2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-isopropylacetamide;

2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-ethyl-N-methylacetamide;

35

- 2-(((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N,N-diethylacetamide;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-N-(2-oxo-2-pyrrolidin-1-ylethyl)ethanamine;
- 5 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-(2-morpholin-4-yl-2-oxoethyl)-2-oxoethanamine;
- 10 1-(((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)acetyl]piperidin-4-ol;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2-oxoethanamine;
- 15 (1S)-N-(2-azetidin-1-yl-2-oxoethyl)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-[2-(1,1-dioxidothiomorpholin-4-yl)-2-oxoethyl]-2-oxoethanamine;
- 20 (1S)-N-[2-(4-acetylpiperazin-1-yl)-2-oxoethyl]-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- (1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-(2-morpholin-4-yl-2-oxoethyl)-2-oxoethanamine;
- 25 (1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-N-(2-oxo-2-pyrrolidin-1-ylethyl)ethanamine;
- 30 2-(((1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N-isopropylacetamide;
- 2-(dimethylamino)ethyl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;
- 35

- 1-methylpiperidin-4-yl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;
- (2S)-4-cyclopropyl-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 5 (2S)-4-cyclopentyl-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-methylpiperazine-1-carboxylate;
- 10 1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 2-morpholin-4-ylethylcarbamate;
- N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}oxy)-carbonyl]glycine;
- 15 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 1-methylpiperidin-4-ylcarbamate;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylmethyl(1-methylpiperidin-4-yl)carbamate;
- 20 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-dimethylamino)piperidine-1-carboxylate;
- 25 tert-butyl (2S)-4-(2-chloro-5-fluoropyrimidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxylate;
- (2S)-4-(5-fluoro-2-methylpyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 30 (2S)-4-(2-chloro-5-fluoropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(4-chloro-5-methylpyrimidin-2-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

5 (2S)-4-(6-chloropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2-chloropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

10 (2S)-N,N-dimethyl-4-(4-methylpyridin-3-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N,N-dimethyl-2-phenyl-4-(1,3-thiazol-2-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

15

(2S)-N,N-dimethyl-2-phenyl-4-(1,3-thiazol-4-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

20 (2S)-N,N-dimethyl-2-phenyl-4-(1,2-thiazol-5-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

25 (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

30 N-{{4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-N-methyl-beta-alanine;

methyl N-{{4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-N-methyl-beta-alaninate;

35

- 4-{{4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl}acetyl}morpholin-4-ium;
- 5 3-[(2S)-4-(2,5-difluorophenyl)-1-(2-hydroxy-2-methylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-sulfonamide;
- 10 3-[4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 3-[4-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 15 3-[4-(2,5-difluorophenyl)-1-(2,2-dimethylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- (2S)-4-(2,5-difluorophenyl)-1-[(methylsulfonyl)acetyl]-2-phenyl-2,5-dihydro-1H-pyrrole;
- 20 (2S)-4-(2,5-difluorophenyl)-2-phenyl-1-[(phenylsulfonyl)acetyl]-2,5-dihydro-1H-pyrrole;
- 3-[(2S)-1-[(2S)-2-cyclopropyl-2-hydroxyethanoyl]-4-(2,5-difluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 25 3-{ (2S)-4-(2,5-difluorophenyl)-1-[(2S)-2-hydroxy-3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl }phenol;
- 30 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 35 (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]piperidinium trifluoroacetate;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl 4-methylpiperazine-1-carboxylate;
- 3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl morpholine-4-carboxylate;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl dimethylaminocarboxylate;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl piperidine-1-carboxylate;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 5 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 10 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 30 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 5 4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 10 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethanesulfonic acid;
- 15 2-hydroxyethyl (1S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;
- 3-hydroxypropyl (1S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;
- 20 2-hydroxyethyl {(1S)-1-isopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}carbamate;
- 25 2-hydroxyethyl {(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}carbamate;
- 4-hydroxybutyl (1S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;
- 30 (2S)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole;
- (2S)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole;
- 35 1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]pentan-3-one;

- 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]butan-2-one;
- 5 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-3-methylbutan-2-one;
- 2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylethanesulfonamide;
- 10 3-{(2*S*)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1*H*-pyrrol-2-yl}phenol;
- methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate;
- 15 (2*S*)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)propyl]-2-phenyl-2,5-dihydro-1*H*-pyrrole;
- 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide;
- 20 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylpropanamide;
- 25 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*,2-trimethylpropanamide;
- 4-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine;
- 30 1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine;
- 1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol;
- 35 methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate;
- 40 2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}oxy)-*N*-ethylacetamide ;
- 4-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine;
- 45

- 2-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy)-*N*-(2-hydroxyethyl)acetamide;
- 5 1-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy)acetyl)-4-methylpiperazine;
- 1-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy)acetyl)piperazine;
- 10 2-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy)-*N*-piperidin-4-ylacetamide;
- 1-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy)acetyl)piperidin-4-amine;
- 15 *N*-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl)-3-morpholin-4-yl-3-oxopropan-1-amine;
- 20 *N*³-((1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl)-*N*¹,*N*¹-dimethyl-β-alaninamide; and
- ((1*S*)-1-((2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl)carbonyl)-2,2-dimethylpropyl(3-morpholin-4-yl-3-oxopropyl)amine;
- 25 or a pharmaceutically acceptable salt or stereoisomer thereof.

12. The compound according to Claim 11 which is selected from:

- 30 (-)-4-(2,5-difluorophenyl)-*N,N*-dimethyl-2-phenyl-2,5-dihydro-1*H*-pyrrole-1-carboxamide;
- 4-(5-chloro-2-fluorophenyl)-*N,N*-dimethyl-2-phenyl-2,5-dihydro-1*H*-pyrrole-1-carboxamide;
- 35 4-(2,5-difluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1*H*-pyrrole;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine; and

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

or a pharmaceutically acceptable salt or stereoisomer thereof.

13. The compound according to Claim 11 which is selected from:

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;

2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-ethylacetamide ;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide; and

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole

or a pharmaceutically acceptable salt or stereoisomer thereof.

14. A compound which is:

- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine
- 5 (2S)-4-(2,5-difluorophenyl)-1-[(methylsulfonyl)acetyl]-2-phenyl-2,5-dihydro-1H-pyrrole
- 10 (2S)-4-(2,5-difluorophenyl)-2-phenyl-1-[(phenylsulfonyl)acetyl]-2,5-dihydro-1H-pyrrole
- 3-[(2S)-1-[(2S)-2-cyclopropyl-2-hydroxyethanoyl]-4-(2,5-difluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol
- 15 3-{(2S)-4-(2,5-difluorophenyl)-1-[(2S)-2-hydroxy-3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol
- 20 (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 25 (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 30 3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol
- 4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 35 4-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)piperidinium trifluoroacetate

- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl 4-methylpiperazine-1-carboxylate
- 5 3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl morpholine-4-carboxylate
- 10 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 15 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl dimethylaminocarboxylate
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl piperidine-1-carboxylate
- 20 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 25 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide
- 30 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl)methyl]-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide
- 35

- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 5 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 10 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 15 2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 20 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 25 4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 30 2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 35 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethanesulfonic acid

- 2-hydroxyethyl (1*S*)-1-{[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate
- 5 3-hydroxypropyl (1*S*)-1-{[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate
- 2-hydroxyethyl {(1*S*)-1-isopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate
- 10 2-hydroxyethyl {(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate
- 15 4-hydroxybutyl (1*S*)-1-{[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate
- (2*S*)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1*H*-pyrrole
- 20 (2*S*)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1*H*-pyrrole
- 1-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]pentan-3-one
- 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]butan-2-one
- 25 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-3-methylbutan-2-one
- 2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylethanesulfonamide
- 30 3-{(2*S*)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1*H*-pyrrol-2-yl}phenol
- 35 methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate
- (2*S*)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)propyl]-2-phenyl-2,5-dihydro-1*H*-pyrrole
- 40 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide
- 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylpropanamide
- 45

- 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*,2-trimethylpropanamide
- 5 4-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine
- 1-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine
- 10 1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol
- methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate
- 15 2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}oxy)-*N*-ethylacetamide
- 20 4-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine
- 2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-(2-hydroxyethyl)acetamide
- 25 1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)-4-methylpiperazine
- 1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperazine
- 30 2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-piperidin-4-ylacetamide
- 35 1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperidin-4-amine
- N*-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}-3-morpholin-4-yl-3-oxopropan-1-amine
- 40 *N*³-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}-*N*¹,*N*¹-dimethyl-β-alaninamide
- ((1*S*)-1-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl)-2,2-dimethylpropyl(3-morpholin-4-yl-3-oxopropyl)amine
- 45

or a pharmaceutically acceptable salt thereof.

15. The compound according to Claim 12 which is the TFA salt of
5 a compound selected from:

2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}-N,N-
dimethylethanamine;

- 10 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-
oxopropan-2-amine;

4-(5-chloro-2-fluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;

- 15 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-
methylpropylamine;

(1R)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-
methylpropylamine;

- 20 4-(2,5-difluorophenyl)-2-phenyl-1-L-prolyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-D-prolyl-2,5-dihydro-1H-pyrrole;

- 25 (4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,3-
thiazolidine;

methyl (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-
yl]-4-oxobutanoate;

- 30 (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-
oxopentanamide;

- (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-
35 (methylthio)propylamine;

- (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylsulfonyl)propylamine;
- 5 (2S)-2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidine;
- (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;
- 10 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(thien-2-ylmethyl)ethylamine;
- 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,1-dioxidotetrahydro-2H-thiopyran-4-ylamine;
- 15 (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methyl-1-oxopropan-2-amine;
- 20 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;
- 25 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;
- (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide
- 30 3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;
- (1S,2S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;
- 35

- (1S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}butylamine;
- 5 (1S)-1-cyclopropyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}cyclopropanamine;
- 10 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxopropan-2-amine;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-methyl-2-
- 15 oxoethylamine;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-2-ylmethyl)ethylamine;
- 20 (1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(4-iodobenzyl)-2-oxoethylamine;
- 25 (1S)-1-benzyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;
- 4-{{(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl}phenol};
- 30 (3S)-3-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-1,2,3,4-tetrahydroisoquinoline;
- (1S)-1-{{4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl}carbonyl}-3-
- 35 phenylpropylamine;

- (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-methylbutylamine;
- 5 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-3-ylmethyl)ethylamine;
- 1-[(2S)-azetidin-2-ylcarbonyl]-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 10 (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanamide;
- 4-(2,5-difluorophenyl)-1-[(2-methylazetidin-2-yl)carbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;
- 15 (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;
- 20 methyl (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanoate;
- 4-(2,5-difluorophenyl)-2-phenyl-1-{{[(2S,3S)-2-phenylpyrrolidin-3-yl]carbonyl}-2,5-dihydro-1H-pyrrole;
- 25 4-(2,5-difluorophenyl)-2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5-dihydro-1H-pyrrole;
- (2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-ol;
- 30 (2R,3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutan-2-ol;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(methoxymethyl)-2-oxoethylamine;
- 35

- 4-(2,5-difluorophenyl)-2-phenyl-1-(pyrrolidin-3-ylcarbonyl)-2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-2-phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;
- 5 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-difluoropropylamine;
- 10 (1S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;
- 4-(2,5-difluorophenyl)-2-phenyl-1-[(4S)-4-phenyl-L-prolyl]-2,5-dihydro-1H-pyrrole;
- 15 1-{2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}cyclohexanamine;
- 2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 20 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidin-4-amine;
- (1S,3R)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;
- 25 (1R,4S)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;
- (1S,4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;
- 30 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-ynylamine;

- (1R)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;
- 3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-phenylpiperidine;
- 5 (1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;
- 10 (2S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-(methylamino)-3-oxopropan-1-ol;
- (3R,5S)-5-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pyrrolidin-3-ol;
- 15 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(1,3-thiazol-4-ylmethyl)ethylamine;
- (1R)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;
- 20 (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxobutan-2-amine;
- (2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;
- 25 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-oxoethylamine;
- 30 4-(2,5-difluorophenyl)-1-(N~6~-formyl-L-lysyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- (2S,3S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxopentan-2-amine;
- 35

- (1S)-1-(cyclohexylmethyl)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;
- 5 (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(1H-indol-3-ylmethyl)-2-oxoethylamine;
- (1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(isocyanomethyl)-2-oxoethylamine;
- 10 (1S)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;
- 15 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine;
- 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;
- 20 (1S)-3-(benzyloxy)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;
- 25 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;
- 1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-3-en-1-amine;
- 30 (1S)-1-cyclopentyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 4-(2,5-difluorophenyl)-1-(2-methylpropyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 35

(1S)-2-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;

5 (1S,2S)-1-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

10 (1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-ynylamine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

15 1-cyclopropyl-3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;

(1S,2S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

25 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

3-[1-[(2S)-2-amino-2-cyclopropylethanoyl]-4-(5-chloro-2-fluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

30 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-isoleucyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

35

- (2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 5 (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 10 (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 30 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 35

(2S)-1-[4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-amine;

- 5 N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2,N-2-dimethylglycinamide;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2-methylglycinamide;

10

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]glycinamide;

- 15 N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-methylalaninamide;

N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-pyrrolidin-1-ylacetamide;

- 20 2-azetidin-1-yl-N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]acetamide;

N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-morpholin-4-ylacetamide;

25

N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-piperazin-1-ylacetamide;

- 30 N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-(4-methylpiperazin-1-yl)acetamide;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2-isopropylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperazine-1-carboxamide;

5 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-piperidin-4-ylurea;

4-amino-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperidine-1-carboxamide;

10 N-(2-aminoethyl)-N'-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}urea;

15 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-(3-morpholin-4-ylpropyl)urea;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-[2-(dimethylamino)ethyl]urea;

20 2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}ethanesulfonamide

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(isopropylamino)ethanesulfonamide;

25 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylethanesulfonamide;

30 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylethanesulfonamide;

35 N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)ethanesulfonamide;

- N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;
- 5 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide;
- (2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 10 (2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholine;
- 15 1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}piperazine;
- 1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}-4-methylpiperazine;
- 20 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylbutanamide;
- 25 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine;
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide;
- 30 N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide;
- 35

- N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
- 5 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide;
- 10 N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
- 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
- 15 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethyl-2,2-dimethyl-4-oxobutanamide;
- (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxo-N-piperidin-4-ylbutanamide;
- 20 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;
- 25 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;
- (1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine;
- 30 (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropyl-2,2-dimethyl-4-oxobutanamide;

- (3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,2,2-trimethyl-4-oxobutanamide;
- 5 (3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;
- (3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;
- 10 (1R)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-methylpiperazine-1-carboxylate;
- 15 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 1-methylpiperidin-4-ylcarbamate;
- (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylmethyl(1-methylpiperidin-4-yl)carbamate;
- 20 (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl-4-dimethylamino)piperidine-1-carboxylate;
- 25 (2S)-N,N-dimethyl-4-(4-methylpyridin-3-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]acetyl]morpholin-4-ium;
- 30 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl-4-methylpiperazine-1-carboxylate;
- 35

- 3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;
- 5 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluoro-phenyl)-2,5-dihydro-2-(3-hydroxyphenyl)-N-methyl-N--[2-(4-methyl-1-piperazinyl)-2-oxoethyl]-H-pyrrole-1-carboxamide;
- 10 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 15 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 20 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 25 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]butan-2-one;
- 30 4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-3-methylbutan-2-one;
- 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide;
- 35 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylpropanamide;
- 40 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*,2-trimethylpropanamide;
- 4-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine;
- 45

1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine;

5 1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol; and

methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate.

10 16. A pharmaceutical composition that is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.

15 17. A method of treating or preventing cancer in a mammal in need of such treatment that is comprised of administering to said mammal a therapeutically effective amount of a compound of Claim 1.

20 18. A method of treating cancer or preventing cancer in accordance with Claim 17 wherein the cancer is selected from cancers of the brain, genitourinary tract, lymphatic system, stomach, larynx and lung.

25 19. A method of treating or preventing cancer in accordance with Claim 17 wherein the cancer is selected from histiocytic lymphoma, lung adenocarcinoma, small cell lung cancers, pancreatic cancer, glioblastomas and breast carcinoma.

20 20. A process for making a pharmaceutical composition which comprises combining a compound of Claim 1 with a pharmaceutically acceptable carrier.

30 21. The composition of Claim 16 further comprising a second compound selected from:

- 35
- 1) an estrogen receptor modulator,
 - 2) an androgen receptor modulator,
 - 3) a retinoid receptor modulator,
 - 4) a cytotoxic/cytostatic agent,
 - 5) an antiproliferative agent,

- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor, and
- 11) a PPAR- γ agonist,
- 12) a PPAR- δ agonists;
- 13) an inhibitor of cell proliferation and survival signaling, and
- 14) an agent that interferes with a cell cycle checkpoint.

10

22. The composition of Claim 21, wherein the second compound is an angiogenesis inhibitor selected from the group consisting of a tyrosine kinase inhibitor, an inhibitor of epidermal-derived growth factor, an inhibitor of fibroblast-derived growth factor, an inhibitor of platelet derived growth factor, an MMP inhibitor, an integrin blocker, interferon- α , interleukin-12, pentosan polysulfate, a cyclooxygenase inhibitor, carboxyamidotriazole, combretastatin A-4, squalamine, 6-O-(chloroacetyl-carbonyl)-fumagillol, thalidomide, angiostatin, troponin-1, and an antibody to VEGF.

20

23. The composition according to Claim 16 further comprising a proteasome inhibitor.

25

24. The composition according to Claim 16 further comprising a
aurora kinase inhibitor.

25. The composition according to Claim 16 further comprising a Raf kinase inhibitor.

30

26. The composition according to Claim 16 further comprising a serine/threonine kinase inhibitor.

27. The composition according to Claim 16 further comprising an inhibitor of another mitotic kinesin which is not KSP.

28. The composition of Claim 22, wherein the second compound is an estrogen receptor modulator selected from tamoxifen and raloxifene.

29. A method of treating cancer which comprises administering a
5 therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.

30. A method of treating or preventing cancer that comprises administering a therapeutically effective amount of a compound of Claim 1 in
10 combination with a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) a retinoid receptor modulator,
- 4) a cytotoxic/cytostatic agent,
- 15 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 20 10) an angiogenesis inhibitor,
- 11) PPAR- γ agonists,
- 12) PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 25 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,
- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

30 31. A method of treating cancer that comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy and a compound selected from:

- 1) an estrogen receptor modulator,
- 35 2) an androgen receptor modulator,

- 5 3) a retinoid receptor modulator,
 4) a cytotoxic/cytostatic agent,
 5) an antiproliferative agent,
 6) a prenyl-protein transferase inhibitor,
 7) an HMG-CoA reductase inhibitor,
 8) an HIV protease inhibitor,
 9) a reverse transcriptase inhibitor,
 10) an angiogenesis inhibitor,
 11) PPAR- γ agonists,
10 12) PPAR- δ agonists,
 13) an inhibitor of inherent multidrug resistance,
 14) an anti-emetic agent,
 15) an agent useful in the treatment of anemia,
 16) an agent useful in the treatment of neutropenia,
15 17) an immunologic-enhancing drug,
 18) an inhibitor of cell proliferation and survival signaling, and
 19) an agent that interferes with a cell cycle checkpoint.

20 32. A method of treating or preventing cancer which comprises
administering a therapeutically effective amount of a compound of Claim 1 and
paclitaxel or trastuzumab.

25 33. A method of treating or preventing cancer which comprises
administering a therapeutically effective amount of a compound of Claim 1 and a
GPIIb/IIIa antagonist.

 34. The method of Claim 33 wherein the GPIIb/IIIa antagonist is
tirofiban.

30 35. A method of treating or preventing cancer which comprises
administering a therapeutically effective amount of a compound of Claim 1 in
combination with a COX-2 inhibitor.

36. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a proteasome inhibitor.

5 37. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with an aurora kinase inhibitor.

10 38. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a Raf kinase inhibitor.

15 39. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a serine/threonine kinase inhibitor.

40. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with an inhibitor of a mitotic kinesin that is not KSP.

20 41. A method of modulating mitotic spindle formation which comprises administering a therapeutically effective amount of a compound of Claim 1.

25 42. A method of inhibiting the mitotic kinesin KSP which comprises administering a therapeutically effective amount of a compound of Claim 1.